



Request number (to be completed by the Committee Secretariat)

WEC_2021_R005_Porsche GT Team_Fire attendant

APPLICANT INFORMATION

Type of applicant:	⊠ Team		☐ Other:	
Licence name:	Porsche GT T	T Team, Dr. Ing. h.c. F. Porsche AG		
Applicant name:	Alexander Stehlig			
Quality:				
Email address:	alexander.stehlig@porsche.de			
Date: 11.02.2021				

CATEGORY

CAR MODEL

HOMOLOGATION NUMBER (IF APPLICABLE)

PURPOSE OF THE REQUEST

Art. 12.2.2. b) regarding the jobs of the fire extinguisher attendant

The relevant article is stating that the fire extinguisher attendant must ground the car. This is a significant change to the previous regulations, where he was not allowed to perform any other task and the grounding of car could be done by any of the other four mechanics involved in the pitstop. We see this change in regulation as an unnecessary step to less safety.

As defined by Art. 4.1.6 the fire extinguisher must be a > 5kg / 6-liter model. To be always ready to react immediately, this type of fire extinguisher must be operated with both hands: one hand holding the trigger on the bottle and the other hand holding the outlet pipe to target the potential fire area.

This means, that grounding the car makes him use at least one of his hands <u>not</u> for the fire extinguisher. So, in the period of grounding the car, he is not 100% ready to directly react on a possible (but maybe not directly visible) fire, especially when it is not related to refueling (overheated brake, oil leak or similar), because he as a second task to fulfil.

Next to that, grounding of the car is not possible in the same way on different types of cars. This could lead to the conflict of having the fire extinguisher attendant in a bad position for reacting on fires. To react best possible to a potential fire, the location of the fire extinguisher attendant should not be compromised by doing the grounding of the car.

Our request would be:

- The fire extinguisher attendant should only focus on extinguishing a fire and not doing any other task.
- The grounding of the car should be done by one of the four persons for manual cleaning or tyre/brake checking as defined in Art. 12.2.2. b)





APPLICABLE REGULATION

\boxtimes	2021 FIA World Endurance Championship Sporting Regulations – Art. 12.2.2. b)
	2021 Technical Regulations for Le Mans Prototype Hypercar
	2021 Technical Regulations for LMP1 Prototype Non-Hybrid
	2021 Technical Regulations for LMP2 Prototype Homologated in 2017
	2021 Technical Regulations for Grand Touring Cars – LMGTE Homologated from 2016
	Other:
DESC	RIPTION OF THE TECHNICAL ITEM (SKIP IF NOT APPLICABLE)
DLOC	MI HON OF THE TECHNICAL TELL (CIMI II NOT ALL EIGABLE)
11 1 119	STRATION (SKIP IF NOT APPLICABLE)
ILLUC	STRATION (SRIF II NOT AFFEIGABLE)
	DICTUDES OF DEAWINGS ONLY
	PICTURES OR DRAWINGS ONLY





APPLICABLE REGULATION (TO BE COMPLETED BY THE COMMITTEE)

\boxtimes	2021 FIA World Endurance Championship Sporting Regulations - Article: 12.2.2.b)
	2021 Technical Regulations for Le Mans Prototype Hypercar - Article:
	2021 Technical Regulations for LMP1 Prototype Non Hybrid - Article:
	2021 Technical Regulations for LMP2 Prototype Homologated in 2017 - Article:
	2021 Technical Regulations for Grand Touring Cars – LMGTE Homologated from 2016 – Article:
	Other:
DECI	SION (TO BE COMPLETED BY THE COMMITTEE)
\boxtimes	Accepted
	Accepted (conditional – see comments below)
	Rejected
	Suspended
	Other: see comments below
Date:	

COMMENTS (TO BE COMPLETED BY THE COMMITTEE)

For safety reasons, the WEC Committee accepted the request above and will amend the 2021 FIA WEC Sporting Regulations as follow:

b) Refuelling

A refueller can intervene to put fuel into the car (which must, during this time, be resting on its wheels) only when:

- A deadman valve attendant is in position and operating the valve;
- A fire extinguisher attendant has grounded the car and is equipped with an extinguisher.

During this phase:

A maximum of four persons, without any tools except for those for manual cleaning or tyre/brake checking, may perform operations, and ground the car, provided that no bodywork panel is removed.

Two industry representatives are permitted to check the tyres and/or the brakes but may not perform any other function. Only the person(s) mentioned above are authorized in the working area.

WEC COMMITTEE



PERIOD OF VALIDITY/APPLICATION OF THE DECISION

This decision comes into effect:
☐ from:
And is applicable: